

ORIGINAL RESEARCH

Open Access

Microdosimetric analysis of ²¹¹At in thyroid models for man, rat and mouse

Anders Josefsson* and Eva Forssell-Aronsson

Abstract

Background: The alpha particle emitter ²¹¹At is proposed for therapy of metastatic tumour disease. ²¹¹At is accumulated in the thyroid gland in a similar way as iodine. Dosimetric models of ²¹¹At in the thyroid are needed for radiation protection assessments for 1) patients receiving ²¹¹At-labelled pharmaceuticals where ²¹¹At may be released *in vivo* and 2) personnel working with ²¹¹At. Before clinical trials, preclinical studies are usually made in mice and rats. The aims of this study were to develop thyroid models for mouse, rat and man, and to compare microdosimetric properties between the models.

Methods: A thyroid follicle model was constructed: a single layer of 6 to 10- μ m thick follicle cells with centrally positioned 4 to 8 μ m (diameter) spherical nuclei surrounded a 10 to 500 μ m (diameter) spherical follicle lumen. Species-specific models were defined for mouse, rat and man. The source compartments for ²¹¹At were the follicle lumen, follicle cells and follicle cell nuclei. The target was the follicle cell nucleus. Simplified species-specific thyroid models were used to investigate the contribution from surrounding follicles. Monte Carlo simulations were performed using the general purpose radiation transport code MCNPX 2.6.0.

Results: When 211 At was homogeneously distributed within the follicle lumen, the mean specific energies per decay, $\langle z \rangle$, to the follicle cell nucleus were 2.0, 1.1 and 0.17 mGy for mouse, rat and man, respectively. Corresponding values for the single-hit mean specific energy per decay, $\langle z_1 \rangle$, were 1.3, 0.61 and 0.37 Gy. Assuming a homogeneous 211 At concentration in the follicle lumen, <0.5%, 7%, and 45% of the emitted alpha particles were fully stopped within the follicle lumen for the respective models.

Conclusions: The results clearly show the influence of the follicle size, alpha particle range and ²¹¹At location within the thyroid follicle on the dosimetric parameters. Appropriate thyroid models are required for translation of dosimetric parameters between species.

Keywords: microdosimetry, ²¹¹At, thyroid follicle, specific energy, Monte Carlo

Background

The alpha emitter 211 At is proposed in radionuclide therapy because of the optimal linear energy transfer (LET), high RBE value and independence of dose rate and oxygen level [1,2]. 211 At is well suited for therapy of microscopic tumours due to the short range of the alpha particles, 48 to 70 μ m in liquid water [3]. 211 At decays through two branches both with the emission of an alpha particle to stable 207 Pb, and in the decay process, 77 to 92 keV K X-rays are emitted, permitting external detection and imaging [4,5]. Astatine is like iodine a halogen, and

free ²¹¹At is taken up by the thyroid gland partly in a similar way as iodide. *In vitro* studies have shown that the transport of ²¹¹At in the basal-to-apical direction was partly similar to that of ¹²⁵I, although differences occur [6].

Relatively, few studies have been performed of the pharmacokinetics of free ²¹¹At in animals and man, most of them 60 to 70 years ago [7-15]. The data show a high uptake in normal thyroid gland of ²¹¹At in monkeys, guinea pigs, rats and mice. The maximum uptake has been reported to occur at approximately 4 h after injection for mice [12,13].

For radiation protection purposes it is, thus, important to have appropriate dosimetric models of ²¹¹At in the thyroid. Such models are valuable both for patients

^{*} Correspondence: anders.josefsson@radfys.gu.se Department of Radiation Physics, Institute of Clinical Sciences, Sahlgrenska Cancer Center, Sahlgrenska Academy at the University of Gothenburg, Sahlgrenska University Hospital, Gothenburg, 413 45, Sweden



receiving 211 At-labelled pharmaceuticals, where some 211 At might be released *in vivo*, and also for personnel handling 211 At with a potential risk of internal contamination. Furthermore, preclinical experimental therapeutic studies of 211 At-labelled substances are usually performed on mice and rats before possible introduction to the clinic. Then, methods to translate data between animals and man are of great value to estimate absorbed dose to critical organs and predict side effects.

The aims of this study were to develop thyroid models for mouse, rat and man, and to perform Monte Carlo simulations for ²¹¹At to study the effect of geometry and biodistribution on microdosimetric parameters for the three species.

Methods

Two different models were developed in this work: 1) a single follicle model and 2) a multiple thyroid follicle model.

Single thyroid follicle model

The single thyroid follicle model used in this work consists of a single layer of thyroid follicular cells surrounding a spherical follicle lumen (Figure 1). The follicle lumen diameter was 10 to 500 μm . The surrounding follicle cells had a thickness of 6, 8 or 10 μm with a centrally located spherical nucleus with diameters of 4, 6 and 8 μm , respectively. For the species-specific models, the follicle lumen diameter, follicle cell thickness and nucleus diameter were: 1) 50, 6 and 4 μm for mouse, 2) 70, 8 and 6 μm for rat and 3) 150, 10 and 8 μm for man, respectively. The densities of the follicle lumen and the follicular cells were assumed to be that of liquid water (unit density). The selected dimensions were chosen according to the literature and further presented in the 'Discussion' section [16-23].

Four different source compartments and ²¹¹At distributions were used: A) ²¹¹At homogeneously distributed




Figure 1 Schematic illustration of the single thyroid follicle model. Schematic illustration of the spherical thyroid follicle geometry; a follicle lumen (blue) is surrounded by a layer of follicle cells (green) with six symmetrically positioned follicle cell nuclei (red) from which an average value for a follicle cell nucleus is calculated.

within the follicle lumen, B) 211 At distributed on concentric spherical surfaces within the follicle lumen (to investigate heterogeneous distributions within the follicle lumen), C) 211 At homogeneously distributed within the follicle cells and D) 211 At homogeneously distributed within the follicle cell nuclei. The follicle cell nuclei were the target in most simulations. The six follicular cell nuclei symmetrically positioned on the perpendicular x-, y- and z-axes around the follicle lumen were used to calculate an average value for one nucleus.

Multiple thyroid follicle model

The model was used to calculate the contribution from one layer of neighbouring follicles to the follicle cell nuclei in a centrally placed follicle (Figure 2). Calculations were performed for the mouse, rat and human models. The neighbouring follicles were modelled as one surrounding layer of follicle cells and an outer region simulating the follicle lumens with the respective thicknesses: 1) 6 and 50 μm for the mouse, 2) 8 and 70 μm for the rat, and 3) 10 and 150 µm for the human model. In this model, two source compartments were used: E) ²¹¹At homogeneously distributed within the surrounding follicle lumens, and F) ²¹¹At homogeneously distributed within the surrounding follicle cells. The targets were the follicle cell nuclei in the central follicle, and the six symmetrically positioned follicular cell nuclei were used to calculate an average value for one nucleus.

Monte Carlo simulations

The simulations were performed using the general purpose Monte Carlo radiation transport code MCNPX 2.6.0




Figure 2 Schematic illustration of the multiple thyroid follicle model. Schematic illustration for one spherical thyroid follicle surrounded by neighbouring follicles. In the centre, a follicle lumen (blue) is surrounded by follicle cells (green) with centrally placed follicle cell nuclei (red). The follicle is surrounded with a single layer of neighbouring follicle cells (green) and follicle lumen (blue).

[24] on a MacBook Pro with a 2.66 GHz Intel Core 2 Duo processor with Mac OS X version 10.6.8 (Apple Inc., Cupertino, California, United States). The tally F6, in units of MeV/g, was used in MCNPX to calculate the energy deposited in the target volume. The cut-off energy for the simulated alpha particles was 1 keV, and the sampling frequency was the default value in the MCNPX code. For each geometric setup, a number of 10⁷ particle histories were simulated, and one history represented a single decay of ²¹¹At. Only the main two alpha particle energies in the ²¹¹At decay, i.e. 5.867 MeV (42% yield) and 7.450 MeV (58% yield), were used in the simulations. The photons and electrons emitted were not considered since their energy deposits in the target is negligible compared to that of the alpha particles. The recoil energy from the daughter nuclei ²⁰⁷Bi and ²⁰⁷Pb following the alpha decay, with the kinetic energy of 114 and 144 keV, respectively [25], was also not considered since it would only contribute for 211At distributed within the follicle cell nucleus, maybe a less likely situation. The total decay of 211At to ²⁰⁷Pb was assumed to occur in the same volume element, i.e. diffusion of ²¹¹Po (0.52 s half-life) before alpha decay was neglected.

To investigate the effects on the microdosimetric parameters for different concentrations of stable iodine within the follicle lumen, additional calculations were performed for a 1% and 2% concentrations of stable iodine (¹²⁷I, density 4.94 g/cm³) homogeneously distributed within the follicle lumen.

Microdosimetric parameters

The following microdosimetric parameters were simulated in this work: the mean specific energy, $\langle z \rangle$, is the average energy deposited in the target per decay of ^{211}At , including histories with zero specific energy

$$\langle z \rangle = \frac{1}{N} \sum_{i=1}^{N} z_i, (z_i \ge 0), [Gy],$$

and is equivalent to the S-value in the MIRD formalism [26]. N is the total number of histories simulated, and z_i , the specific energy in units of Gy for history i [27].

The single-hit mean specific energy per event, $\langle z_1 \rangle$, is the average energy deposited for the histories when the particle hits the target, i.e. excluding all histories with zero specific energy

$$\langle z_1 \rangle = \frac{1}{M} \sum\limits_{i=1}^{M} z_i \;, \, (z_i > 0), \; [\mathit{Gy}],$$

where M is the total number of histories simulated that hits the target [27]. The single-hit specific energy distribution for the target is denoted as $f(z_1)$.

The lineal energy, y, is defined as

$$y = \frac{\varepsilon}{\overline{l}}$$
, $[keV/\mu m]$,

where ε is the energy imparted in the target volume and \bar{l} is the mean chord length for the target [27]. Based on Cauchy's theorem, the mean chord length for a spherical volume with the diameter, d, is given by [28]

$$\overline{l}=\frac{2\cdot d}{3}, [\mu m]$$

The frequency-mean lineal energy, $\langle y_F \rangle$, is the average energy deposited for all simulated particles that hit the target

$$\langle y_F \rangle = \frac{1}{M} \sum_{i=1}^{M} y_i , (y_i > 0), [keV/\mu m]$$

The lineal energy distribution, f(y), is defined for single energy-deposition events only and is independent of the absorbed dose or dose rate [27].

Macrodosimetry

According to the MIRD formalism, the mean absorbed dose, \overline{D} , is the average energy per unit mass deposited in a target volume

$$\overline{D} = \tilde{A} \cdot \Delta \cdot \frac{\Phi}{m}, [Gy],$$

where \tilde{A} is the cumulated activity in the source volume, Δ the mean energy emitted per nuclear transition, and ϕ is the absorbed fraction in the thyroid and m the mass of the thyroid [26].

The mean absorbed dose could also be expressed as

$$\overline{D} = \tilde{A} \cdot S$$
, $[Gy]$,

where *S* is equivalent to the mean specific energy, $\langle z \rangle$.

When comparing MIRD and microdosimetric data, the ²¹¹At activity in the thyroid gland was assumed to be homogeneously distributed within the follicle lumens, and 70% of the thyroid gland was assumed to consist of follicles in the microdosimetric calculations [29].

The cumulated activity equivalent to a mean absorbed dose to the thyroid of 1 Gy for the different species was calculated under the following assumptions: $\phi = 1$, $\Delta = 6.8$ MeV and m is 3 mg for mouse, 30 mg for rat and 19 g for man [12,17,30,31].

Statistical analyses

The relative error, which is the ratio between the standard deviation of the mean value (SD) and the mean value, was calculated using MCNPX [32].

Results

Single thyroid follicle model with ²¹¹At distributed in the follicle lumen

Mean specific energy, $\langle z \rangle$

The mean specific energy, $\langle z \rangle$, for the 4-, 6- and 8- μm diameter follicle cell nuclei with ^{211}At homogeneously distributed within the follicle lumen as a function of the follicle lumen diameter is shown in Figure 3. For the 10- μm diameter follicle lumen diameter, $\langle z \rangle$ was 35% higher for the 4- μm compared with the 8- μm diameter follicle cell nuclei. This difference decreased to about 12% for the 70- μm follicle lumen diameter and remained constant at around 12% to 13% for increasing follicle lumen diameter.

The mean specific energy, $\langle z \rangle$, for the mouse, rat and human models with ^{211}At homogeneously distributed on concentric spherical surfaces within the follicle lumen as a function of the surface source radius is shown in Figure 4. $\langle z \rangle$ was highest for the mouse model and lowest for the human model. For the human and mouse models, $\langle z \rangle$ increased with the surface source radius to a maximum peripherally in the follicle lumen. For the rat model, $\langle z \rangle$ initially decreased with increasing surface source radius, reaching a minimum for a radius of 15 μm , then increasing to a maximum peripherally in the follicle lumen.

Single-hit mean specific energy, $\langle z_1 \rangle$

The single-hit mean specific energy, $\langle z_1 \rangle$, for the 4-, 6- and 8- μm diameter follicle cell nuclei with ^{211}At




Figure 3 Mean specific energy for the single thyroid follicle model. The mean specific energy, $\langle z \rangle$, for the 8- (blue filled circle), 6- (red filled square) and 4- μ m (green filled triangle) follicle cell nucleus per decay. ²¹¹At was homogeneously distributed within the follicle lumen. The follicle lumen diameter, d, varied between 10 and 500 μ m. Note the logarithmic scale on the y-axis. Error bars indicate SD and are smaller than the data symbol when not visible.




Figure 4 Mean specific energy for the species-specific thyroid follicle models. The mean specific energy, $\langle z \rangle$, for the human (blue filled circle), rat (red filled square) and mouse models (green filled triangle) per decay. ²¹¹At was homogeneously distributed on concentric spherical surfaces with radius, r, within the follicle lumen. For the 0- μ m radius surface, a point source was used. Error bars indicate SD and are smaller than the data symbol when not visible.

homogeneously distributed within the follicle lumen as a function of the follicle lumen diameter is shown in Figure 5. $\langle z_1 \rangle$ initially increased with the follicle lumen diameter up to a level after which it remained constant. This level was reached at the follicle lumen diameters of 150-, 110- and 90-µm for the follicle cell nuclei diameters 4, 6 and 8 µm, respectively. $\langle z_1 \rangle$ for the 4-µm nucleus diameter was about two to four times higher than for the 6-µm and 8-µm follicle cell nucleus diameters, respectively.

The single-hit mean specific energy, $\langle z_1 \rangle$, for the mouse, rat and human models with ²¹¹At homogeneously distributed on concentric spherical surfaces within the follicle lumen as a function of the surface source radius is shown in Figure 6. $\langle z_1 \rangle$ was highest for the mouse model and lowest for the human model. For the mouse and rat models, $\langle z_1 \rangle$ decreased with increasing surface source radius from a maximum value in the centre of the follicle lumen. The minimum value was reached peripherally in the follicle lumen for the largest surface source radius. The human model had the minimum value of $\langle z_1 \rangle = 0$ in the centre of the follicle lumen when the alpha particles did not reach the follicle cell nuclei. The maximum $\langle z_1 \rangle$ value was reached for the surface source radius 25 µm; after which; it decreased with increasing surface source radius.




Figure 5 Single-hit mean specific energy for the single thyroid follicle model. The single-hit mean specific energy, $\langle z_1 \rangle$, for the 8- (blue filled circle), 6- (red filled square) and 4-µm (green filled triangle) follicle cell nucleus per decay. ²¹¹At was homogeneously distributed within the follicle lumen. The follicle lumen diameter, d, varied between 10 and 500 µm. Error bars indicate SD and are smaller than the data symbol when not visible.

Single-hit specific energy distribution, $f(z_1)$

The single-hit distribution of specific energy, $f(z_1)$, in the follicle cell nucleus for the mouse, rat and human models




Figure 6 Single-hit mean specific energy for the species-specific thyroid follicle models. The single-hit mean specific energy, $\langle z \rangle$, for the human (blue filled circle), rat (red filled square) and mouse model (green filled triangle) per decay. ²¹¹At was homogeneously distributed on concentric spherical surfaces with radius, r, within the follicle lumen. For the 0- μ m radius surface, a point source was used. Error bars indicate SD and are smaller than the data symbol when not visible.

with ^{211}At homogeneously distributed within the follicle lumen is shown in Figure 7a. The maximum single-hit specific energies were 4.4, 1.9 and 0.99 Gy, respectively, for mouse, rat and man. The corresponding single-hit mean specific energies, $\langle z_1 \rangle$, were 1.3, 0.61 and 0.37 Gy, respectively, for mouse, rat and man (Table 1).

Lineal energy distribution, f(y)

The lineal energy distribution, f(y), in the follicle cell nucleus for the mouse, rat and human models with ²¹¹At homogeneously distributed within the follicle lumen, is shown in Figure 7b. The maximum lineal energies were 340, 330 and 310 keV/ μ m, respectively, for mouse, rat and man. The frequency-mean lineal energy, $\langle y_F \rangle$, for mouse was 98 keV/ μ m, for rat 110 keV/ μ m, and for man 120 keV/ μ m.

Fraction of the emitted alpha particles that deposit all energy in the follicle lumen

The fraction of the total emitted alpha particles per decay that deposit all kinetic energy within the follicle lumen, with ²¹¹At homogeneously distributed within the follicle lumen, is shown in Figure 8. For follicle lumen diameters smaller than 50 µm, less than 0.5% deposits all kinetic energy within the lumen. For a diameter of 170 µm, the contribution from the two different alpha particles emitted per decay is equal, 25.5% each, resulting in a total of 51% that deposits all kinetic energy within the lumen. For follicle lumen diameters smaller than 170 µm, the contribution from the alpha particle with the lower kinetic energy (5.867 MeV) dominates, and for larger follicle lumen diameters, the contribution from the alpha particle with the higher kinetic energy (7.45 MeV) dominates. For the species-specific models, the amounts of alpha particles depositing all their energy in the follicle lumen were <0.5%, 7% and 45% for mouse, rat and man, respectively.

Single thyroid follicle model with ²¹¹At distributed in the follicle cells

Specific energy distribution, f(z), for ²¹¹At distributed in the follicle cell nucleus

The specific energy distribution, f(z), for ²¹¹At homogeneously distributed within in the different sized cell nuclei is shown in Figure 7c. For each of the models, mouse, rat and man, $\langle z \rangle$ and $\langle z_1 \rangle$ and are equal since the nuclei are both sources and targets and were 0.54, 0.24 and 0.14 Gy, respectively (Table 1).

Single-hit specific energy distribution, $f(z_1)$, for ²¹¹At distributed in the follicle cells

The single-hit distribution of specific energy, $f(z_1)$, for the mouse, rat and human models with ²¹¹At homogeneously distributed within the follicle cells, including




Figure 7 Probability distributions for the art-specific thyroid follicle models. (a) Single-hit specific energy distribution, $f(z_1)$, for the mouse, rat and human models per ²¹¹At decay that hits the target nuclei with ²¹¹At homogeneously distributed within the follicle lumen. (b) Lineal energy distribution, f(y), for the mouse, rat and human models per ²¹¹At decay that hits the target nuclei with ²¹¹At homogeneously distributed within the follicle lumen. (c) Single-hit specific energy distribution, $f(z_1)$, for the mouse, rat and human models with ²¹¹At homogeneously distributed within the follicle cell nucleus. This is the self-absorbed specific energy distribution for the follicle cell nucleus. For panels a, c and d, the bin size used were 20 mGy; for panel b, the bin size used was 5 keV/ μ m, and the area under each curve was normalised to 1. (d) Single-hit specific energy distribution, $f(z_1)$, for the mouse, rat and human models per ²¹¹At decay that hits the target nuclei with ²¹¹At homogeneously distributed within the follicle cells.

Table 1 $\langle z\rangle$ and $\langle z_1\rangle$ data for single thyroid follicle models depend on source compartment

	Nucleus ← Nucleu	s Nucleus ←	- Follicle cell	s Nucleus ← Lum	en
	$\langle z \rangle$ and $\langle z_1 \rangle$ (Gy)	⟨z⟩ (Gy)	⟨z ₁ ⟩ (Gy)	$\langle z \rangle$ (Gy) $\langle z_1 \rangle$ (G	iy)
Mous	e 5.36E-1	2.74E-3	1.01E0	2.03E-3 1.25E0	
	(1.13E-4)	(1.91E-5)	(3.48E-3)	(1.76E-5) (4.67E-3	3)
Rat	2.40E-1	1.40E-3	4.60E-1	1.08E-3 6.14E-1	
	(5.07E-5)	(9.38E-6)	(1.61E-3)	(9.12E-6) (2.33E-3	3)
Man	1.36E-1	3.17E-4	2.57E-1	1.71E-4 3.70E-1	
	(2.86E-5)	(3.36E-6)	(1.42E-3)	(2.83E-6) (2.79E-3	3)

The mean specific energy, $\langle z \rangle$, and the single-hit mean specific energy, $\langle z_1 \rangle$ for the mouse, rat and human models per decay. ²¹¹At was homogeneously distributed within the source volume (nucleus, follicle cells or lumen), and the target was the follicle cell nucleus. Note: data are given as mean (SD).

both cytoplasm and nucleus, is shown in Figure 7d. For the mouse, rat and human models, $\langle z \rangle$ were 2.7, 1.4, 0.32 mGy, and $\langle z_1 \rangle$ were 1.0, 0.46 and 0.26 Gy, respectively (Table 1).

Influence of stable iodine in the follicle lumen for a single follicle model

Table 2 shows $\langle z \rangle$ and $\langle z_1 \rangle$ for the mouse, rat and human models with concentrations of 0%, 1% and 2% of stable iodine, ^{127}I , homogeneously distributed within the follicle lumen. For the mouse model, there was a small increase in $\langle z \rangle$ with increasing iodine concentration. For the rat and human models, the opposite result was found. For the mouse and rat models, there was a small increase in $\langle z_1 \rangle$, while in the human model, $\langle z_1 \rangle$ remained fairly constant with increasing iodine concentration.




Figure 8 Fraction of emitted alpha particles that deposit all kinetic energy within the follicle lumen. The fraction of emitted alpha particles per decay that deposited all kinetic energy within the follicle lumen for follicle lumen diameter, *d*, between 10 and 500 µm. ²¹¹At was homogeneously distributed within the follicle lumen. Error bars indicate SD and are smaller than the data symbol when not visible.

Multiple thyroid follicle models

The contribution from ^{211}At homogeneously distributed within one surrounding layer of neighbouring follicles to a central-placed follicle for the mouse, rat and human models is presented in Table 3. The contribution to $\langle z \rangle$ from one ^{211}At decay in the surrounding follicle lumen was low, only 13%, 7% and 4% for mouse, rat and man, respectively, compared to that from one ^{211}At decay in the actual follicle lumen. Corresponding values for $\langle z_1 \rangle$ are 130%, 120% and 110%, demonstrating that $\langle z_1 \rangle$ from ^{211}At in surrounding

Table 2 Influence of stable iodine on $\langle z\rangle$ and $\langle z_1\rangle$ in the single thyroid follicle models

	0% lodin	ie	1% lodine		2% lodine		
	Nucleus ← Lumen		Nucleus ← Lumen		Nucleus ← Lumen		
	$\langle z \rangle$ (Gy)	$\langle z_1 \rangle$ (Gy)	$\langle z \rangle$ (Gy)	$\langle z_1 \rangle$ (Gy)	$\langle {\it z} \rangle$ (Gy)	$\langle z_1 \rangle$ (Gy)	
Mouse	2.03E-3	1.25E0	2.04E-3	1.26E0	2.04E-3	1.27E0	
	(1.76E-5)	(4.67E-3)	(1.78E-5)	(4.73E-3)	(1.79E-5)	(4.83E-3)	
Rat	1.08E-3	6.14E-1	1.08E-3	6.18E-1	1.07E-3	6.21E-1	
	(9.12E-6)	(2.33E-3)	(9.13E-6)	(2.35E-3)	(9.12E-6)	(2.42E-3)	
Man	1.71E-4	3.70E-1	1.66E-4	3.70E-1	1.61E-4	3.70E-1	
	(2.83E-6)	(2.79E-3)	(2.79E-6)	(2.86E-3)	(2.75E-6)	(2.91E-3)	

The mean specific energy, $\langle z \rangle$, and the single-hit mean specific energy, $\langle z_1 \rangle$, for the mouse, rat and human models per ²¹¹At decay. The follicle lumen consisted of water and homogeneously distributed stable iodine (0%, 1% or 2% ¹²⁷I). ²¹¹At was homogeneously distributed within the follicle lumen, and the target was the follicle cell nucleus. Note: data are given as mean (SD).

follicle lumen was higher than from the actual follicle. For ^{211}At homogeneously distributed within the surrounding follicle cells, $\langle z \rangle$ was up to half of the values for ^{211}At homogeneously distributed within the central follicle cells per decay. Corresponding values for $\langle z_1 \rangle$ were up to 130%, demonstrating higher values for ^{211}At homogeneously distributed within the surrounding follicle cells per decay (Table 3).

Comparison between microdosimetry and MIRD Dosimetry with ²¹¹At homogeneously distributed with the thyroid gland

Using the cumulated activity that gives 1 Gy in mean absorbed dose to the thyroid gland based on MIRD formalism in mouse, rat and man, corresponding mean absorbed doses to the follicle cell nucleus based on the microdosimetric calculations were 0.84 Gy (self-contribution of 0.33 Gy (39%) and contribution from the neighbouring follicles of 0.51 Gy), 1.18 Gy (self-contribution of 0.79 Gy (67%) and contribution from the neighbouring follicles of 0.39 Gy), and 0.71 Gy (self-contribution of 0.52 Gy (73%) and contribution from the neighbouring follicles of 0.19 Gy), respectively, for ²¹¹At homogeneously distributed within the follicle lumens.

Discussion

When developing a mathematical model of a tissue for dosimetric purposes, it is necessary with simplifications in geometry. For the thyroid, spherical follicles were assumed, although follicles have been described as convex entities of tetrakaidecahedral shape with larger follicles peripherally in the thyroid gland [20]. The present study concerns alpha particles with ranges compared with the species-specific models in the order of the size of one follicle diameter or down to 1/3 of a follicle diameter. For studies on particles with such short ranges (or with very long ranges, when the model does not influence the results at all), we consider spherical models to give realistic results. We also believe that the overall findings and relations between results from different species in this paper are valid and important in translational research.

In the Monte Carlo simulations, only the emitted alpha particles in the ²¹¹At decay were assumed to deposit energy in the target volume. This assumption was based on the energy released per ²¹¹At decay for the different radiation types: 6.92 MeV for alpha particles, 0.05 MeV for electrons, and 0.68 MeV for photons [5]. For electrons, the energy released per decay is negligible compared to that of the alpha particles. For photons, the energy released per decay is about 10% of the alpha particles; this fact, combined with the low energy deposition per interaction and long mean free path in tissue, the contribution to the energy deposited in the target volume was neglected.

	Single follicle			Surroundin	Surrounding follicles				
	Nucleus ← Lumen		Nucleus ← Follicle cells		Nucleus ←	Nucleus ← Lumen		Nucleus ← Follicle cells	
	$\langle z \rangle$ (Gy)	$\langle z_1 \rangle$ (Gy)	$\langle z \rangle$ (Gy)	$\langle Z_1 \rangle$ (Gy)	$\langle z \rangle$ (Gy)	$\langle z_1 \rangle$ (Gy)	$\langle z \rangle$ (Gy)	$\langle z_1 \rangle$ (Gy)	
Mouse	2.03E-3	1.25E0	2.74E-3	1.01E0	2.57E-4	1.67E0	1.50E-3	1.26E0	
	(1.76E-5)	(4.67E-3)	(1.91E-5)	(3.48E-3)	(7.39E-6)	(2.22E-2)	(1.54E-5)	(5,77E-3)	
Rat	1.08E-3	6.14E-1	1.40E-3	4.60E-1	7.60E-5	7.37E-1	7.38E-4	5.86E-1	
	(9.12E-6)	(2.33E-3)	(9.38E-6)	(1.61E-3)	(2.65E-6)	(1.16E-2)	(7.38E-6)	(2.67E-3)	
Man	1.71E-4	3.70E-1	3.17E-4	2.57E-1	6.24E-6	4.13E-1	1.74E-4	3.37E-1	
	(2.83E-6)	(2.79E-3)	(3.36E-6)	(1.42E-3)	(5.73E-7)	(1.77E-2)	(2.71E-5)	(2.36E-3)	

The mean specific energy, $\langle z \rangle$, and the single-hit mean specific energy, $\langle z_1 \rangle$, for the mouse, rat and human models per decay. ²¹¹At was homogeneously distributed within the follicle lumens and follicle cells, and the target was the follicle cell nucleus in the single/central follicle. Note: data are given as mean (SD).

Furthermore, the generation of delta particles and bremsstrahlung from the alpha particle track was not accounted for in the Monte Carlo simulations. The MCNPX code uses the collision stopping power value with energy straggling and multiple scattering algorithms when calculating the energy deposit in the target volume. According to Kellerer and Chmelevsky, the energy deposit for alpha particles in water with kinetic energies less than 10 MeV could accurately be determined without including the delta particles in the calculations for spherical volumes down to a diameter of 1 µm [33]. We, therefore, assumed that neglecting specific calculations of the delta particles would not influence the overall results. Also, the generation of bremsstrahlung could be neglected for heavy charged particles since the generation is inversely proportional to the square of the particle mass [34].

To our knowledge, only one publication has previously dealt with dosimetry for a thyroid model, and that case used the Monte Carlo code CELLDOSE for $^{131}\mathrm{I}$ [22]. In that model, a human follicle was represented by a 170- μ m diameter sphere consisting of a 150- μ m diameter follicle lumen surrounded by a 10- μ m layer of thyroid follicle cells. Our human model is similar to that model regarding spherical geometry and the follicle size. However, in the presented study, the influence of size of follicle and cell nucleus was also studied, and specific models for mouse and rat were defined.

When performing calculations for the different species, models were created based on the average thyroid follicle sizes. The mean weight of the thyroid gland for man is approximately 19 g (range 8 to 48 g) [30], for rat approximately 30 mg [31] and approximately 3 mg for mouse [12,17]. There is also a difference in follicle size between the species. In man, the diameter of the follicle varies between 30 and 840 μ m [23] with mean values of 160 to 170 μ m [21,22]. For rat, the follicle diameter size varies between 20 and 230 μ m [19,20] with a mean value of 78 to 88 μ m [18-20]. For mouse, only follicular areas have been reported, being 2,000 to 5,000 μ m² with a mean value of 2,200 μ m² and about 200 follicles per mm²

[16,17]. This corresponds to a diameter of 53 μ m assuming spherical geometry of the follicle. This value might, however, be an underestimation of the true value since all tissue slices were not in the centre of each follicle. The choice of the mean follicle diameters in the mouse, rat and human models was based on these studies. It should be noted the follicle size may change with age [23,35], time of day [19], as well as thyroid disorders [21], and an iodine-rich diet might result in larger follicles [18,20].

The difference in follicle size within the human thyroid results in about 500 times higher $\langle z \rangle$ to the follicle cell nucleus in follicles with 30 compared to 500-µm diameter follicle lumen (Figure 3). In man, smaller follicles (diameters < 100 μm) are more common in children (<12 years old) and larger follicles (diameters > 200 µm) more common in adults [23]. For example, $\langle z \rangle$ to the follicle cell nucleus is 7 times higher for a 90-µm diameter follicle lumen compared to a 190-µm diameter follicle lumen (both with a 8- μ m cell nucleus). This indicates that $\langle z \rangle$ could be higher in children. In the mouse model, less than 0.5% of the emitted alpha particles deposit all their kinetic energy within the follicle lumen compared to 7% for the rat model and 45% for the human model. These results indicate that dosimetric parameters cannot readily be translated between animal and human models.

The multiple follicle thyroid model used in this work is a simplification, with a single spherical layer of follicle cells surrounding the central follicle and the neighbouring follicle lumen simulated as a spherical shell around the outer cell layer. The outer follicle lumen had a thickness equal to the diameter of the model used. Inter-follicular tissue was not included in the space between the central follicle and neighbouring follicles and would probably reduce the absorbed dose only to a small extent. In the models created in this work for mouse, rat and human, only one layer of neighbouring follicles will contribute to the energy depositions to the central follicle cell nuclei due to the short range of the alpha particles, justifying the simplification with one surrounding follicle layer. In the

model created by Hindie et al., ¹³¹I in up to 12 layers of follicles contributed to the absorbed dose to the central follicle cells [22]. The self-contribution to the total-absorbed dose from radionuclide in the follicle lumen was 17% for ¹³¹I [22], compared to 73% for ²¹¹At as found in the present study. Thus, the single follicle thyroid model, maybe supplied with one surrounding follicle layer, is a simple and realistic model when studying radionuclide emitting particles with ranges up to that of alpha particles, while more follicle layers are needed for particles with longer range.

To our knowledge, no firm data on the biokinetics of ²¹¹At in the thyroid on the microscopic level exist. We have only found one autoradiographic study demonstrating the distribution of ²¹¹At within the follicles in rats [10] and a few on the distribution of ¹²⁵I [36,37]. Results from ¹²⁵I in rat show that the concentration of radioiodine early in the uptake phase was higher in the smaller follicles. The distribution within most follicle lumens was homogeneous but heterogeneous in some follicles, usually in the form of a ring peripherally [36,37]. Based on these studies and that ²¹¹At is supposed not to be bound to thyroglobulin, calculations were done with ²¹¹At distributed within different source compartments, including heterogeneous distribution within the follicle lumen using concentric spherical surfaces. The results show that $\langle z \rangle$ increased with longer surface source radius for the human and mouse models. For the human model, $\langle z \rangle$ was zero for short radii of the surface sources due to the range of the alpha particles, while it increased with longer radius. For the rat model, $\langle z \rangle$ decreased from a high value at the centre (radius = 0) to a minimum, and then increased up to the maximum radius. For the mouse model, $\langle z \rangle$ increased with longer radius. The reason for these differences is the effect of the Bragg peak of the alpha particle, i.e. a higher energy deposition in the end of the track, which should be considered when the follicle lumen radius is similar to the range of the alpha particles.

To our knowledge, microdosimetric determinations have not previously been performed for ^{211}At in the thyroid. There are, however, data for ^{211}At homogeneously distributed within a cell nucleus calculated by an analytical method [38]. Our results for $\langle z \rangle$ and $\langle z_1 \rangle$ for follicle cell nucleus diameters of 4, 6 and 8 μm show good agreement (only 2.8% to 3.7% higher values) compared with the published data.

Since iodine is absorbed by the thyroid and has a relatively high atomic number, $Z\!=\!53$, presence of iodine might influence the interaction of the alpha particles within the follicle lumen, leading to a higher energy loss per unit length. In rats, the concentration of stable iodine in the follicle lumen is approximately 0.9% to 2.1% [18]. However, the present results clearly show that the presence of stable iodine in the follicle lumen had little effect on the dosimetric results for mouse and rat models, and

the difference in the human model was 6% lower $\langle z \rangle$ for an iodine concentration of 2% within the follicle lumen.

The physical properties of the radiohalogens $^{211}\mathrm{At},~^{131}\mathrm{I}$ and ¹²⁵I vary considerably and result in different mechanisms of action and biological effects on thyroid follicle cells. Alpha particles from ²¹¹At have a very short range in tissue, resulting in high average LET (approximately 100 keV/µm) and high RBE values. This makes them highly cytotoxic for biological tissue, and cell survival studies have shown that only a few transversals per cell nucleus may inactivate a cell [39,40]. Beta particles from ¹³¹I main beta spectrum with endpoint energy of 606 keV (89.4% yield) and maximum range of 2.3 mm in tissue [41] result in low average LET (approximately 0.2 keV/µm). It is considered that several thousands of transversals are needed to inactivate a cell [4]. 125I emits on average 20 Auger and conversion electrons with ranges from nanometres up to 23 μm and LET values of 4 to 26 keV/ μm [42]. When internalised into a cell and especially when incorporated in the DNA, 125I can be highly toxic to a cell [43]. We have experimentally compared toxic effects of radionuclides in thyroid follicle cells and shown that the highest effect was obtained for ²¹¹At, followed by ¹²³I (emits Auger and conversion electrons similar to 125 I), while the least effect was obtained by ¹³¹I [44].

Usually, MIRD formalism and macrodosimetry have been used to determine mean absorbed dose to the thyroid for ²¹¹At, assuming homogeneous activity concentration in thyroid tissue [13,14]. To compare if microdosimetry would give other absorbed doses than conventional macrodosimetry, we calculated the absorbed dose to the follicle cell nuclei from the amount of ²¹¹At homogeneously distributed in the lumens (multiple follicle model) that gives a mean absorbed dose of 1 Gy. Corresponding microscopic data were then 0.84, 1.18 and 0.71 Gy for the mouse, rat and human models, respectively. A similar comparison for ¹³¹I gave a microdosimetric value of 0.98 Gy to the follicle cells due to the longer ranges of the electrons emitted [22]. Thus, our results show the importance of microdosimetry for non-homogeneous distribution of radionuclides emitting short-ranged particles in a thyroid.

Conclusions

This study clearly demonstrates differences in energy deposition in the follicle cell nuclei depending on the location of ²¹¹At in the follicle, and the size of the follicle, the follicle cell and its nucleus, which indicate the importance of species-specific models for dosimetric estimations for ²¹¹At. The dosimetric parameters for ²¹¹At in the thyroid cannot readily be translated between species.

Competing interests

The authors declare that they have no competing interests.

Acknowledgements

The authors thank Dr Manuel Bardiès, Nantes, and his research group for valuable help and input regarding the use of MCNPX. This study was supported by grants from the European Commission FP7 Collaborative Project TARCC HEALTH-F2-2007-201962, the Swedish Research Council, the Swedish Cancer Society, BioCARE, a National Strategic Research Program at University of Gothenburg, the Swedish Radiation Safety Authority, the King Gustav V Jubilee Clinic Cancer Research Foundation and the Assar Gabrielsson Cancer Research Foundation. The work was performed within the EC COST Action BM0607.

Authors' contributions

Both authors designed the study. AJ performed the MC simulations and drafted the manuscript. Both authors contributed to the scientific and intellectual discussion and interpretation of the data and revision of the manuscript. Both authors read and approved the final manuscript.

Authors' information

AJ is a PhD student at the Department of Radiation Physics, Sahlgrenska Academy at the University of Gothenburg and has an MSc in medical physics. EFA is a Professor at the Department of Radiation Physics, Sahlgrenska Academy at the University of Gothenburg.

Received: 12 February 2012 Accepted: 9 June 2012 Published: 9 June 2012

References

- Hall EJ: Radiobiology for the Radiologist. 6th edition. Philadelphia, USA: Lippincott Williams & Wilkins; 2006.
- Zalutsky MR, Bigner DD: Radioimmunotherapy with alpha-particle emitting radioimmunoconjugates. Acta Oncol 1996, 35:373–379.
- International Commission on Radiation Units and Measurements: ICRU Report 49: Stopping Powers and Ranges for Protons and Alpha Particles. Bethesda, MD: International Commission on Radiation Units and Measurements; 1993.
- McDevitt MR, Sgouros G, Finn RD, Humm JL, Jurcic JG, Larson SM, Scheinberg DA: Radioimmunotherapy with alpha-emitting nuclides. Eur J Nucl Med 1998, 25:1341–1351.
- 5. Nuclear decay data in the MIRD format. [http://www.nndc.bnl.gov/mird/].
- Lindencrona U, Nilsson M, Forssell-Aronsson E: Similarities and differences between free 211At and 125I- transport in porcine thyroid epithelial cells cultured in bicameral chambers. Nucl Med Biol 2001, 28:41–50.
- Cobb LM, Harrison A, Butler SA: Toxicity of astatine-211 in the mouse. Human Toxicology 1988, 7:529–534.
- Hamilton JG, Durbin PW, Parrott M: The accumulation and destructive action of astatine-211 (eka-iodine) in the thyroid gland of rats and monkeys. Journal of Clinical Endocrinology & Metabolism 1954, 14:1161–1178.
- Hamilton JG, Soley MH: A comparison of the metabolism of iodine and of element 85 (eka-iodine). Proc Natl Acad Sci USA 1940, 26:483–489.
- Hamilton JG, Asling CW, Garrison WM, Scott KG: The accumulation, metabolism, and biological effects of astatine in rats and monkeys. *Univ Calif (Berkeley) Publs Pharmacol* 1953, 2:283–344.
- Hamilton JG, Asling CW, Garrison WG, Jue B, Scott KG, Wallace PC, Haymond HR: The destruction of thyroid tissue in the rat by the halogen, astatine. J Clin Invest 1950, 29:820.
- Harrison A, Royle L: Determination of absorbed dose to blood, kidneys, testes and thyroid in mice injected with 211At and comparison of testes mass and sperm number in X-irradiated and ²¹¹At treated mice. *Health Physics* 1984, 46:377–383.
- Lundh C, Lindencrona U, Schmitt A, Nilsson M, Forssell-Aronsson E: Biodistribution of free 211At and 125I- in nude mice bearing tumors derived from anaplastic thyroid carcinoma cell lines. Cancer Biother Radiopharm 2006, 21:591–600.
- Spetz J, Rudqvist N, Forssell-Aronsson E: Biodistribution and dosimetry of free 211At, 125I- and131I- in rats. Institute of Clinical Sciences at Sahlgrenska Academy, University of Gothenburg, Gothenburg, Sweden: MSc thesis; 2011.
- Hamilton JG, Durbin PW, Parrott MW: Accumulation of astatine-211 by thyroid gland in man. Proc Soc Exp Biol Med 1954, 86:366–369.
- Friedrichs B, Tepel C, Reinheckel T, Deussing J, von Figura K, Herzog V, Peters C, Saftig P, Brix K: Thyroid functions of mouse cathepsins B, K, and L. J Clin Invest 2003, 111:1733–1745.

- Clement S, Refetoff S, Robaye B, Dumont JE, Schurmans S: Low TSH requirement and goiter in transgenic mice overexpressing IGF-I and IGF-Ir receptor in the thyroid gland. Endocrinology 2001, 142:5131– 5139.
- Robison WL, Davis D: Determination of iodine concentration and distribution in rat thyroid follicles by electron-probe microanalysis. J Cell Biol 1969, 43:115–121.
- Uchiyama Y, Oomiya A, Murakami G: Fluctuations in follicular structures of rat thyroid glands during 24 hours: fine structural and morphometric studies. Am J Anat 1986, 175:23–33.
- Penel C, Rognoni JB, Durieu D, Simon C: Stereological analysis of thyroid follicle structure. Experientia 1981, 37:1010–1012.
- 21. Jackson JL: The shape and size of the human thyroid follicle in health and disease. *The anatomical record* 1931, **48**:219–239.
- Hindie E, Champion C, Zanotti-Fregonara P, Rubello D, Colas-Linhart N, Ravasi L, Moretti JL: Calculation of electron dose to target cells in a complex environment by Monte Carlo code "CELLDOSE". Eur J Nucl Med Mol Imaging 2009, 36:130–136.
- Faggiano A, Coulot J, Bellon N, Talbot M, Caillou B, Ricard M, Bidart JM, Schlumberger M: Age-dependent variation of follicular size and expression of iodine transporters in human thyroid tissue. J Nucl Med 2004, 45:232–237.
- Pelowitz DB: MCNPX, User's Manual Version 2.6.0. LA-CP-07-1473. New Mexico, USA: Los Alamos National Laboratory; 2008.
- Roessler K, Eich G: Nuclear recoils from 211-At decay. Radiochimica Acta 1989. 47:87–89.
- 26. Loevinger R: Budinger TF, Watson EE: MIRD Primer for Absorbed Dose Calculations. New York: The Society of Nuclear Medicine; 1988.
- 27. International Commission on Radiation Units and Measurements: *ICRU Report 36: Microdosimetry*. Bethesda, Md., USA: International Commission on Radiation Units and Measurements; 1983.
- Cauchy A: Memoire sur la rectification des courbes et la quadrature des sourface courbe. In Oevres Complétes d'Augustin Cauchy. Edited by Augustin Louis Cauchy. Paris: Gauthier-Villars; 1908.
- Dow CJ, Dumont JE, Ketelbant P: Percentage of epithelial cells, fibroblasts and endothelial cells in the dog thyroid. CR Seances Soc Biol Fil 1986, 180:629–632.
- 30. Bisi H, Fernandes VS, de Camargo RY, Koch L, Abdo AH, de Brito T: The prevalence of unsuspected thyroid pathology in 300 sequential autopsies, with special reference to the incidental carcinoma. *Cancer* 1989, **64**:1888–1893.
- 31. Soukup T, Zacharova G, Smerdu V, Jirmanova I: Body, heart, thyroid gland and skeletal muscle weight changes in rats with altered thyroid status. *Physiol Res* 2001, **50**:619–626.
- X-5 MONTE CARLO TEAM: MCNP A General Monte Carlo N-Particle Transport Code, Version 5 - Volume I: Overview and Theory, LA-UR-03-1987. New Mexico, USA: Los Alamos National Laboratory; 2003.
- Kellerer AM, Chmelevsky D: Criteria for the applicability of LET. Radiation research 1975, 63:226–234.
- Podgorsak EB: Radiation Physics for Medical Physicists. 2nd edition. Berlin: Springer Verlag; 2010.
- Fujita H, Tamura S, Takano T, Ishibashi S, Tanaka T: Fine structural changes in the aging mouse thyroid. J Gerontol 1980, 35:3–15.
- Loewenstein JE, Wollman SH: Distribution of organic 125-I and 127-I in the rat thyroid gland during equilibrium labeling as determined by autoradiography. Endocrinology 1967, 81:1074–1085.
- Loewenstein JE, Wollman SH: Diffusion of thyroglobulin in the lumen of rat thyroid follicle. Endocrinology 1967, 81:1086–1090.
- Stinchcomb T, Roeske J: Values of "S," < z₁ > and < (z₁)² > for dosimetry using alpha-particle emitters. Med Phys 1999, 26:1960–1971.
- Walicka MA, Vaidyanathan G, Zalutsky MR, Adelstein SJ, Kassis Al: Survival and DNA damage in Chinese hamster V79 cells exposed to alpha particles emitted by DNA-incorporated astatine-211. Rad Res 1998, 150:263–268.
- Kassis AI, Harris CR, Adelstein SJ, Ruth TJ, Lambrecht R, Wolf AP: The in vitro radiobiology of astatine-211 decay. Rad Res 1986, 105:27–36.
- Prestwich WV, Nunes J, Kwok CS: Beta dose point kernels for radionuclides of potential use in radioimmunotherapy. J Nucl Med 1989, 30:1036–1046.
- Kassis Al: The amazing world of auger electrons. Int J Radiat Biol 2004, 80:789–803.

- Sastry KSR: Biological effects of the auger emitter iodine-125: a review. Report No. 1 of AAPM Nuclear Medicine Task Group No. 6. Med Phys 1992, 19:1361–1370.
- 44. Lundh C, Lindencrona U, Postgard P, Carlsson T, Nilsson M, Forssell-Aronsson E: Radiation-induced thyroid stunning: differential effects of (123)I, (131)I, (99 m)Tc, and (211)At on iodide transport and NIS mRNA expression in cultured thyroid cells. *J Nucl Med* 2009, **50**:1161–1167.

doi:10.1186/2191-219X-2-29

Cite this article as: Josefsson and Forssell-Aronsson: Microdosimetric analysis of ²¹¹At in thyroid models for man, rat and mouse. *EJNMMI Research* 2012 **2**:29.

Submit your manuscript to a SpringerOpen[®] journal and benefit from:

- ► Convenient online submission
- ► Rigorous peer review
- ▶ Immediate publication on acceptance
- ► Open access: articles freely available online
- ► High visibility within the field
- ► Retaining the copyright to your article

Submit your next manuscript at ▶ springeropen.com